

### FEATURES

- Ready for action - The Farallon SE45/SE30 EBS is purpose built for emergency helicopter egress.
- Ergonomic 2nd stage body for rapid deployment with either left or right hand.
- 360° braided swivel hose for swift manipulation.
- Light-weight and minimal profile.
- Integrated pressure gauge.
- Designed for ease of service and repair.
- Built using quality marine grade materials.

### OPTIONS

- 3000 PSI (207 bar) or 4500 PSI (310 bar).
- Aluminum or composite cylinder.
- Pressure gauge available in bar or psi.
- QD fill port or standard fill ports.
- Nose clip.



|                                         |                                                                               |
|-----------------------------------------|-------------------------------------------------------------------------------|
| Cylinder Capacity                       | Aluminum 2.11 ft <sup>3</sup> / 60 L<br>Composite 3.28 ft <sup>3</sup> / 93 L |
| Cylinder Materials                      | Aluminum (0.29 L)<br>Composite (0.3 L)                                        |
| Cylinder Length w / 1st Stage Regulator | Aluminum 11.97 in / 30.4 cm<br>Composite 10.23 in / 25.98 cm                  |
| Working Pressure                        | 3000 PSI / 207 BAR<br>4500 PSI / 310 BAR                                      |
| Low Pressure Hose Length                | 20 in / 50.8 cm - 27 in / 68.6 cm                                             |
| First Stage Hose Connection             | 360-degree swivel                                                             |
| Regulator First Stage                   | Unbalanced piston                                                             |
| Regulator Second Stage                  | Unbalanced                                                                    |
| System Weight                           | SE45 -1.7 lbs / 0.77 kg<br>SE30 - 1.9 lbs / 0.87 kg                           |

| Product code | Description        | Hose Length |
|--------------|--------------------|-------------|
| FA30100      | Farallon SE30 2.11 | 20 inches   |
| FA30101      | Farallon SE30 2.11 | 27 inches   |
| FA40100      | Farallon SE45 3.28 | 20 inches   |
| FA40101      | Farallon SE45 3.28 | 27 inches   |

### FEATURES

- Ready for action – The Farallon SE45 EBS is purpose built for emergency helicopter egress.
- Ergonomic 2nd stage body for rapid deployment with either left or right hand.
- 360° braided swivel hose for swift manipulation.
- Light-weight and minimal profile.
- Integrated pressure gauge.
- Designed for ease of service and repair.
- Built using quality marine grade materials.

### OPTIONS

- Pressure gauge available in bar or psi.
- Multiple hose lengths.
- QD fill port or standard fill.
- Nose clip.

|                                         |                                   |
|-----------------------------------------|-----------------------------------|
| Cylinder Capacity                       | 3.28 ft <sup>3</sup> / 93 L       |
| Cylinder Materials                      | Composite (0.3 L)                 |
| Cylinder Length w / 1st Stage Regulator | Composite 10.23 in / 25.98 cm     |
| Working Pressure                        | 4500 PSI / 310 BAR                |
| Low Pressure Hose Length                | 20 in / 50.8 cm – 27 in / 68,6 cm |
| First Stage Hose Connection             | 360-degree swivel                 |
| Regulator First Stage                   | Unbalanced piston                 |
| Regulator Second Stage                  | Unbalanced                        |
| System Weight                           | 1.7 lbs / 0.77 kg                 |



| Product code | Description                       | Hose Length |
|--------------|-----------------------------------|-------------|
| FA40100      | Farallon SE45 3.28                | 20 inches   |
| FA40101      | Farallon SE45 3.28                | 27 inches   |
| FA41100      | 1 <sup>st</sup> Stage Service Kit |             |
| FA42100      | 2 <sup>nd</sup> Stage Service Kit |             |

### FEATURES

- Ready for action – The Farallon SE30 EBS is purpose built for emergency helicopter egress.
- Ergonomic 2nd stage body for rapid deployment with either left or right hand.
- 360° braided swivel hose for swift manipulation.
- Light-weight and minimal profile.
- Integrated pressure gauge indicates pressure.
- Designed for ease of service and repair.
- Built using quality marine grade materials.

### OPTIONS

- Pressure gauge available in bar or psi.
- Multiple hose lengths.
- QD fill port or standard fill.
- Nose clip.

|                                         |                                   |
|-----------------------------------------|-----------------------------------|
| Cylinder Capacity                       | 2.11 ft <sup>3</sup> / 60 L       |
| Cylinder Materials                      | Aluminum (0.29 L)                 |
| Cylinder Length w / 1st Stage Regulator | Aluminum 11.97 in / 30.4 cm       |
| Working Pressure                        | 3000 PSI / 207 BAR                |
| Low Pressure Hose Length                | 20 in / 50.8 cm – 27 in / 68,6 cm |
| First Stage Hose Connection             | 360-degree swivel                 |
| Regulator First Stage                   | Unbalanced piston                 |
| Regulator Second Stage                  | Unbalanced                        |
| System Weight                           | 1.9 lbs / 0.87 kg                 |



| Product code | Description                       | Hose Length |
|--------------|-----------------------------------|-------------|
| FA30100      | Farallon SE30 2.11                | 20 inches   |
| FA30101      | Farallon SE30 2.11                | 27 inches   |
| FA31100      | 1 <sup>st</sup> Stage Service Kit |             |
| FA32100      | 2 <sup>nd</sup> Stage Service Kit |             |